



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name : Propiconazole Technical
CAS No : 60207-90-1
Use : Fungicide
Company Info : M/s HPM Chemicals & Fertilizers Ltd
209-210, Anupam Bhawan, Commercial Complex
Azadpur, Delhi-110033
Telephone : (011)-45071800, 899
Fax : (011)- 27681800
Website : www.hpmindia.com
E-mail : info@hpmindia.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Composition	Concentration
Propiconazole a.i.	88.00% min.
Other associates impurities	12.00% max

3. HAZARDS IDENTIFICATION OF PREPARATION

Propiconazole T R25/36/37
More important danger for the man: none
Dangers for the environment: toxic to aquatic
Physical-chemical dangers: c
an decompose at high temperatures forming toxic gases.

4. FIRST AID MEASURES

First Aid Measures:

Remove to fresh air. Remove all contaminated clothing and wash the affected parts of the body thoroughly with plenty of water and soap during 30 minutes. If victim is unconscious and not breathing, apply artificial respiration or oxygenation. Take victim to the nearest medical care center with this sheet

Inhalation:

Remove to fresh air. If stop breathing, apply artificial respiration. If breathing is difficult, immediately call a physician.

Skin contact:

Immediately wash with water and soap during 30 minutes after removing contaminated clothing. In case of effects/symptoms, call a physician. Wash the contaminated clothing prior to reuse them and dispose



MATERIAL SAFETY DATA SHEET

contaminated shoes.

Eyes contact:

Immediately flush with running water for at least 30 minutes. Call a physician.

Ingestion:

Do not induce vomiting, but do not stop if it happens spontaneously. Immediately call a physician.

Actions to be avoided:

Do not apply mouth to mouth respiration if the patient has swollen the product. Give artificial respiration.

Protection for the first aid givers:

Avoid skin or inhalation contact with the product during the process.

Notes for the physician:

No specific antidote is available. If large amount was swallowed, gastric emptying procedures as gastric lavage may be performed, taking great care to avoid pulmonary aspiration due to the risk of chemical pneumonite. Activated charcoal and saline laxatives may be administered due to probable active ingredients adsorption to activated charcoal. Symptomatic treatment must include, specially, support measures as the correction of hydro electrolytic and metabolic disorders, as well as respiratory aid. The management of hepatic and renal functions must be kept. If in eye, rinse with physiological saline followed by occlusion and lead to ophthalmic evaluation.

5. ACCIDENTIAL RELEASE

Personal precautions: Wear waterproof overalls, safety goggles, rubber boots and nitril rubber or PVC gloves. Respiratory protection must be used depending on the concentrations in the environment or on the extension of the spill/release. In this case, choose self-contained breathing apparatus. Removal of ignition sources: Stop electric energy and turn off the sources that may produce

sparks. Remove all the material that may start a fire (e.g. spilled diesel oil).

Dust control: Isolate and signal the contaminated area. Cover the spill with plastic sheet or spray water on the powder.

Inhalation, skin, mucous membrane and eyes contact prevention:

Wear the garments and accessories described above.

Environmental precautions:

Avoid contamination of surface waters sealing the entrance of the rain water galleries (culverts). Do not allow the residues of the released product reach water collections.

Cleaning methods:

Stop and collect the spill. Put the residues into a recipient for disposal according to the local regulations.

Clean, preferably with a detergent; avoid using solvents.

Secondary hazards prevention:

Do not allow the product contaminate creeks, lakes, water fountains, wells, sewers, pluvial sewers and effluents.

6. FIRE-FIGHTING MEASURES

FLASHPOINT(method):None

FIRE AND EXPLOSION HAZARD: Minimize use of water to prevent environmental contamination.



MATERIAL SAFETY DATA SHEET

EXTINGUISHING MEDIA: Use carbon dioxide, foam, dry chemical or water spray when fighting fires involving this material.

FIREFIGHTING INSTRUCTIONS: Evacuate area and fight fire from a safe distance. Approach from upwind to avoid hazardous vapors and decomposition products. Fire exposed containers can build up pressure and should be kept cool with water spray if possible. Explosive vapor could form from ruptured containers. Foam fire extinguishing system is preferred to prevent environmental damage from excessive water run off. If water is used, avoid heavy hose streams. If possible, dike and collect water used to fight fire to prevent minimize run off.

FIREFIGHTING EQUIPMENT: Self-contained breathing apparatus with full face piece. Wear full firefighting turn-out gear (Bunker gear).

HAZARDOUS COMBUSTION PRODUCTS: CO, Phosphorus oxides and Nitrogen

7. HANDLING AND STORAGE

- Handling** : Use appropriate (impervious) clothing, gloves and closed foot ware to prevent the repeated contact with skin. Use flash proof and dust resistant goggles to prevent the contact with eyes.
- Storage** : Keep the product in original container tightly closed and correctly labeled. Store in suitable, cool, dry, well ventilated place under lock and key; away from the reach of the children, animals, food and animal feeding stuffs. Store away from the incompatible substances and source of ignition

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Technical protective measures** : None
- Exposure controls limits** : Not Established
- Respiratory protection** : Wear suitable mask
- Hand protection** : Wear impervious gloves
- Eye protection** : Wear flash proof and dust resistant goggles.
- Skin protection** : Wear impervious clothing and closed foot ware.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Brown to yellowish viscous liquid

Boiling point: 180°C

Flash point : 11°C



MATERIAL SAFETY DATA SHEET

Density: 1.27g/cm³ at 20°C

Vapour pressure : 5.6×10⁻²
mPa at 25°C

Solubility: 0.1g/L at 25°C
in the water, 47g/L at 25°C in the hexane.

10. STABILITY AND REACTIVITY

Stability: Stable under normal temperatures and pressures.

Stability conditions to avoid: Excess heat, and incompatible materials.

Incompatibilities with other material: None reasonably foreseeable

Hazardous Decomposition products: Under fire conditions may produce gases such as oxides of carbon, hydrogen, nitrogen and sulfur.

11. TOXICOLOGICAL INFORMATION

Acute oral LD₅₀(rat) : 1517 mg/kg

Acute dermal LD₅₀(rat) : >4000mg/kg

Acute Inhalation LC₅₀(rat): 0.58mg/

Skin contact: No irritate to the rabbits skin

Eye contact: No irritate to the rabbits eyes

12. ECOTOXICOLOGICAL INFORMATION

Bird: Acute oral LD₅₀ for Japanese quail: 2223 mg/kg;

Acute oral LD₅₀ for Wild duck: 2510mg/kg;

Acute Inhalation LC₅₀ for Japanese quail and Wild duck: >1000 mg/kg

Fish: Acute Inhalation LC₅₀ for Carp: 6.8mg/L;

Acute Inhalation LC₅₀ for Rainbow trout: 5.3mg/L;

No toxicity to honeybees. Acute oral LD₅₀ and Acute dermal LD₅₀ for honeybees 100pg/bees.

13. DISPOSAL CONSIDERATION

Treatment and disposal methods: Product: Inactivate the product through incineration in ovens designed to this kind of operation, equipped with chambers to wash effluent gases that are according to the competent authority regulations.

Product residues: Keep eventual residues of the product and/or products with expiration date expired in their original packaging, duly closed. Used packaging: The empty packaging must be



MATERIAL SAFETY DATA SHEET

stored in a covered, ventilated place, protected from the rain and with waterproof floor, as well as contention dikes. Wear gloves when handling these packaging. The final destination of empty packaging can only be done by registering Company or user company or companies legally authorized by the competent authorities. The reuse of the empty packaging is forbidden for the user. They may be recycled if appropriate legislation is obeyed.

14. TRANSPORT INFORMATION

UN No.: 3077
IMCO Class: 9
IMDG PG: 3077
Packing Group: III
Proper Shipping Name: Environmentall
y hazardous substance, solid, n.o.s

Environmental risk:
9 Marine pollutant

15. REGULATORY INFORMATION

Not Applicable

16. OTHER INFORMATION

All information and instructions provided in this Material Safety Data Sheet (MSDS) are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and are presented in good faith and believed to be correct. This information applies to the product as such. In case of new formulations or mixes, it is necessary to ascertain that a new danger will not appear. It is the responsibility of persons on receipt of this MSDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produce formulations containing this product, it is the recipients sole responsibility to ensure the transfer of all relevant information from this MSDS to their own MSDS.